ELSEVIER

Neuroscience Letters 375 (2005) 211–213

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 375

Akiyama, T., see Shimomura, A., 81
Arendt-Nielsen, L., see Drewes, A.M., 157
Asseman, F., Gahéry, Y., Effect of head position and visual condition on balance control in inverted stance, 134

Bargellini, A., see Portolani, M., 47
Bartoletti, A.M., see Portolani, M., 47
Becker, A.J., see Chen, J., 192
Benedek, G., see Kéri, S., 33
Beretti, F., see Portolani, M., 47
Bianchin, M.M., see Lobão-Soares, B., 203
Brentani, R., see Lobão-Soares, B., 203
Brunner, C., Graimann, B., Huggins, J.E., Levine, S.P., Pfurtscheller, G., Phase relationships between different subdural electrode recordings in man, 69
Buri, C., see Kalus, P., 151
Butt, A.M., Dinsdale, J., Fibroblast growth factor 2 mediated disruption of myelin-forming oligodendrocytes in vivo is associated with increased tau immunoreactivity, 28

Carlotti Jr., C.G., see Lobão-Soares, B., 203
Carqueja, C.L., see Lobão-Soares, B., 203
Cermelli, C., see Portolani, M., 47
Chang, C.W., see Chou, Y.T., 87
Chauhan, N.B., Siegel, G.J., Efficacy of anti-Aβ antibody isotypes used for intracerebroventricular immunization in TgCRND8, 143
Checkoway, H., see Okada, S., 178
Chen, H., see Qin, W., 207
Chen, J., Larionov, S., Pitsch, J., Hoerold, N., Ullmann, C., Elger, C.E., Schramm, J., Becker, A.J., Expression analysis of metabotropic glutamate receptors I and III in mouse strains with different susceptibility to experimental temporal lobe epilepsy, 192
Chen, J.C., see Chou, Y.T., 87
Chen, R., see Shi, L., 7
Chien, P., see Pae, E.-K., 123
Choi, S.Y., see Hwang, I.K., 117
Chou, K.L., see Chou, Y.T., 87
Chou, Y.T., Chen, J.C., Liu, R.S., Chou, K.L., Chang, C.W., Lin, M.T., Dopamine overload visualized in the basal ganglia of rabbit brain during heatstroke can be suppressed by hypothermia, 87

Darling-Reed, S., see Elsisi, N.S., 91
De Pol, A., see Portolani, M., 47
Dinsdale, J., see Butt, A.M., 28
Domínguez, J., see Gil-Bea, F.J., 37
Doosti, M., see Raygani, A.V., 1
Doppelmayr, M., see Hanslmayr, S., 64
Drewes, A.M., Rössel, P., Le Pera, D., Arendt-Nielsen, L., Valeriani, M., Cortical neuroplastic changes to painful colon stimulation in patients with irritable bowel syndrome, 157

Elger, C.E., see Chen, J., 192
Elsisi, N.S., Darling-Reed, S., Lee, E.Y., Oriaku, E.T., Soliman, K.F., Ibuprofen and apigenin induce apoptosis and cell cycle arrest in activated microglia, 91

Farin, F.M., see Okada, S., 178
Federspiel, A., see Kalus, P., 151
Feldon, J., see Leng, A., 107
Feng, G., see Qin, W., 207
Ferger, B., see Leng, A., 107
Ford, B.D., see Xu, Z., 181
Franklin, G.M., see Okada, S., 178
Freunberger, R., see Hanslmayr, S., 64
Fuentemilla, L., see Marco, J., 174
Fujii, T., see Tanabe, A., 19

Gahéry, Y., see Asseman, F., 134
Gallinat, J., see Kalus, P., 151
Galoyan, A.A., see Knaryan, V.H., 187
Gao, J., see Qin, W., 207
García-Alloza, M., see Gil-Bea, F.J., 37
Gautam, S.C., see Jiang, H., 59
Giacomello, A., see Messina, E., 97
Gil-Bea, F.J., García-Alloza, M., Domínguez, J., Marcos, B., Ramírez, M.J., Evaluation of cholinergic markers in Alzheimer's disease and in a model of cholinergic deficit, 37
Goetze, O., Wieczorek, J., Mueller, T., Przuntek, H., Schmidt, W.E., Woitalla, D., Impaired gastric emptying of a solid test meal in patients with Parkinson's disease using ^{13}C-sodium octanoate breath test, 170
Gong, S., see Shi, L., 7
Graimann, B., see Brunner, C., 69
Grau, C., see Marco, J., 174
Green, N., Weech, M., Walters, E., Localization and characterization of glutathione-*s*-transferase isozymes alpha, mu, and pi within the mouse vomeronasal organ, 198
Gruber, W., see Hanslmayr, S., 64
Gu, N., see Qin, W., 207
Gulyás, B., see Kéri, S., 33
Guo, Z., see Qin, W., 207
Gyoba, J., see Suzuki, M., 53

Han, B.H., see Hwang, I.K., 117
Han, J.-S., see Huang, C., 138
Han, Y., see Shi, L., 7
Hanslmayr, S., Klimesch, W., Sauseng, P., Gruber, W., Doppelmayr, M., Freunberger, R., Pecherstorfer, T., Visual discrimination performance is related to decreased alpha amplitude but increased phase locking, 64
Harper, R.M., see Pae, E.-K., 123
He, L., see Qin, W., 207
Heilig, M., see Rimondini, R., 129
Hermann, H., Lutz, B., Coexpression of the cannabinoid receptor type 1 with the corticotropin-releasing hormone receptor type 1 in distinct regions of the adult mouse forebrain, 13
Hoerold, N., see Chen, J., 192
Hu, B., Mooney, D.M., Burst firing induces a slow after hyperpolarization in rat auditory thalamus, 162
Huang, C., Long, H., Shi, Y.-S., Han, J.-S., Wan, Y., Ketamine enhances the efficacy to and delays the development of tolerance to electroacupuncture-induced antinociception in rats, 138

doi:10.1016/S0304-3940(05)00120-5

Huang, S., see Shi, L., 7
Huang, X., see Qin, W., 207
Huggins, J.E., see Brunner, C., 69
Hunter, M.D., Phang, S.-Y., Lee, K.-H., Woodruff, P.W.R., Gender-specific sensitivity to low frequencies in male speech, 148
Hwang, I.K., Yoo, K.-Y., Kim, D.W., Han, B.H., Kang, T.-C., Choi, S.Y., Kim, J.S., Won, M.H., Protein disulfide isomerase immunoreactivity and protein level changes in neurons and astrocytes in the gerbil hippocampal CA1 region following transient ischemia, 117

Jackson Hunter, T., see Jiang, H., 59
Janka, Z., see Kéri, S., 33
Javadi, E., see Raygani, A.V., 1
Jiang, H., Koubi, D., Zhang, L., Kuo, J., Rodriguez, A.I., Jackson Hunter, T., Gautam, S.C., Levine, R.A., Inhibitors of iNOS protects PC12 cells against the apoptosis induced by oxygen and glucose deprivation, 59

Kalus, P., Slotboom, J., Gallinat, J., Wiest, R., Ozdoba, C., Federspiel, A., Strik, W.K., Buri, C., Schroth, G., Kiefer, C., The amygdala in schizophrenia: a trimodal magnetic resonance imaging study, 151
Kang, T.-C., see Hwang, I.K., 117
Kéri, S., Gulyás, B., Benedek, G., Janka, Z., Feature uncertainty: a novel test to probe prefrontal dysfunction in unaffected siblings of schizophrenia patients, 33
Kiefer, C., see Kalus, P., 151
Kim, D.W., see Hwang, I.K., 117
Kim, J.S., see Hwang, I.K., 117
Klimesch, W., see Hanslmayr, S., 64
Knaryan, V.H., Samantaray, S., Galoyan, A.A., Mohanakumar, K.P., A synthetic human proline-rich-polypeptide enhances hydroxyl radical generation and fails to protect dopaminergic neurons against 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine-induced toxicity in mice, 187
Kohu, K., see Shimomura, A., 81
Koubi, D., see Jiang, H., 59
Kowalski, J., see Lund, I., 75
Kuo, J., see Jiang, H., 59

Larionov, S., see Chen, J., 192
Le Pera, D., see Drewes, A.M., 157
Lee, E.Y., see Elsisi, N.S., 91
Lee, K.-H., see Hunter, M.D., 148
Leng, A., Mura, A., Feldon, J., Ferger, B., Tumor necrosis factor-alpha receptor ablation in a chronic MPTP mouse model of Parkinson's disease, 107
Levine, R.A., see Jiang, H., 59
Levine, S.P., see Brunner, C., 69
Li, M., see Shi, L., 7
Li, W., see Shi, L., 7
Li, X., see Qin, W., 207
Li, Y.-Q., see Liu, X.-Y., 42
Lin, M.T., see Chou, Y.T., 87
Linhares, M.N., see Lobão-Soares, B., 203
Liu, J., see Zhao, X., 165
Liu, R.S., see Chou, Y.T., 87
Liu, X.-Y., Wu, S.-X., Wang, Y.-Y., Wang, W., Zhou, L., Li, Y.-Q., Changes of 5-HT receptor subtype mRNAs in rat dorsal root ganglion by bee venom-induced inflammatory pain, 42
Liu, Y., see Shi, L., 7
Lobão-Soares, B., Bianchin, M.M., Linhares, M.N., Carqueja, C.L., Tasca, C.I., Souza, M., Marques Jr., W., Brentani, R., Martins, V.R., Sakamoto, A.C., Carlotti Jr., C.G., Walz, R., Normal brain mitochondrial respiration in adult mice lacking cellular prion protein, 203
Long, H., see Huang, C., 138
Longstreth, W.T., see Okada, S., 178
Lund, I., Lundeberg, T., Kowalski, J., Svensson, E., Gender differences in electrical pain threshold responses to transcutaneous electrical nerve stimulation (TENS), 75
Lundeberg, T., see Lund, I., 75
Lutz, B., see Hermann, H., 13

Ma, C., see Shi, L., 7
Manahilov, V., see Simpson, W.A., 23
Mao, Z., see Shi, L., 7
Maraganore, D.M., see Mellick, G.D., 112
Marco, J., Fuentemilla, L., Grau, C., Auditory sensory gating deficit in abstinent chronic alcoholics, 174
Marcos, B., see Gil-Bea, F.J., 37
Marques Jr., W., see Lobão-Soares, B., 203
Martins, V.R., see Lobão-Soares, B., 203
Mellick, G.D., Maraganore, D.M., Silburn, P.A., Australian data and meta-analysis lend support for alpha-synuclein (NACP-Rep1) as a risk factor for Parkinson's disease, 112
Messina, E., Micheli, V., Giacomello, A., Guanine nucleotide depletion induces differentiation and aberrant neurite outgrowth in human dopaminergic neuroblastoma lines: a model for basal ganglia dysfunction in Lesch–Nyhan disease, 97
Micheli, V., see Messina, E., 97
Mohanakumar, K.P., see Knaryan, V.H., 187
Mooney, D.M., see Hu, B., 162
Mueller, T., see Goetze, O., 170
Mura, A., see Leng, A., 107

O' Keeffe, G.W., Sullivan, A.M., Donor age affects differentiation of rat ventral mesencephalic stem cells, 101
Okada, S., Farin, F.M., Stapleton, P., Viernes, H., Quigley, S.D., Powers, K.M., Smith-Weller, T., Franklin, G.M., Longstreth, W.T., Swanson, P.D., Checkoway, H., No associations between Parkinson's disease and polymorphisms of the quinone oxidoreductase (NQO1, NQO2) genes, 178
Onimaru, H., see Tanabe, A., 19
Oriaku, E.T., see Elsisi, N.S., 91
Ozdoba, C., see Kalus, P., 151

Pae, E.-K., Chien, P., Harper, R.M., Intermittent hypoxia damages cerebellar cortex and deep nuclei, 123
Pecherstorfer, T., see Hanslmayr, S., 64
Pfurtscheller, G., see Brunner, C., 69
Phang, S.-Y., see Hunter, M.D., 148
Pi, R., see Shi, L., 7
Pietrosemoli, P., see Portolani, M., 47
Pitsch, J., see Chen, J., 192
Portolani, M., Beretti, F., Cermelli, C., Bartoletti, A.M., Pietrosemoli, P., Bargellini, A., De Pol, A., Rossini, G.P., Cell culture isolation of a transmissible cytotoxicity from a human sample of cerebrospinal fluid, 47
Pourmotabbed, T., see Raygani, A.V., 1
Powers, K.M., see Okada, S., 178
Przuntek, H., see Goetze, O., 170

Qian, X., see Qin, W., 207
Qin, W., Gao, J., Xing, Q., Yang, J., Qian, X., Li, X., Guo, Z., Chen, H., Wang, L., Huang, X., Gu, N., Feng, G., He, L., A family-based association study of PLP1 and schizophrenia, 207
Quigley, S.D., see Okada, S., 178

Ramírez, M.J., see Gil-Bea, F.J., 37
Raygani, A.V., see Raygani, A.V., 1
Raygani, A.V., Zahrai, M., Raygani, A.V., Doosti, M., Javadi, E., Rezaei, M., Pourmotabbed, T., Association between apolipoprotein E polymorphism and Alzheimer disease in Tehran, Iran, 1
Rezaei, M., see Raygani, A.V., 1
Rimondini, R., Thorsell, A., Heilig, M., Suppression of ethanol self-administration by the neuropeptide Y (NPY) Y2 receptor antagonist BIIE0246: evidence for sensitization in rats with a history of dependence, 129

Rodriguez, A.I., see Jiang, H., 59
Rossini, G.P., see Portolani, M., 47
Rössel, P., see Drewes, A.M., 157

Sakamoto, A.C., see Lobão-Soares, B., 203
Sakuta, Y., see Suzuki, M., 53
Samantaray, S., see Knaryan, V.H., 187
Sauseng, P., see Hanslmayr, S., 64
Schmidt, W.E., see Goetze, O., 170
Schramm, J., see Chen, J., 192
Schroth, G., see Kalus, P., 151
Senda, T., see Shimomura, A., 81
Shahani, U., see Simpson, W.A., 23
Shi, L., Gong, S., Yuan, Z., Ma, C., Liu, Y., Wang, C., Li, W., Pi, R., Huang, S., Chen, R., Han, Y., Mao, Z., Li, M., Activity deprivation-dependent induction of the proapoptotic BH3-only protein Bim is independent of JNK/c-Jun activation during apoptosis in cerebellar granule neurons, 7
Shi, Y.-S., see Huang, C., 138
Shimomura, A., Kohu, K., Akiyama, T., Senda, T., Subcellular localization of the tumor suppressor protein APC in developing cultured neurons, 81
Siegel, G.J., see Chauhan, N.B., 143
Silburn, P.A., see Mellick, G.D., 112
Simpson, W.A., Shahani, U., Manahilov, V., Illusory percepts of moving patterns due to discrete temporal sampling, 23
Slotboom, J., see Kalus, P., 151
Smith-Weller, T., see Okada, S., 178
Soliman, K.F., see Elsisi, N.S., 91
Souza, M., see Lobão-Soares, B., 203
Stapleton, P., see Okada, S., 178
Strik, W.K., see Kalus, P., 151
Sullivan, A.M., see O' Keeffe, G.W., 101
Suzuki, M., Gyoba, J., Sakuta, Y., Multichannel NIRS analysis of brain activity during semantic differential rating of drawing stimuli containing different affective polarities, 53
Svensson, E., see Lund, I., 75
Swanson, P.D., see Okada, S., 178

Tanabe, A., Fujii, T., Onimaru, H., Facilitation of respiratory rhythm by a μ-opioid agonist in newborn rat pons–medulla–spinal cord preparations, 19
Tasca, C.I., see Lobão-Soares, B., 203
Thorsell, A., see Rimondini, R., 129

Ullmann, C., see Chen, J., 192

Valeriani, M., see Drewes, A.M., 157
Viernes, H., see Okada, S., 178

Walters, E., see Green, N., 198
Walz, R., see Lobão-Soares, B., 203
Wan, Y., see Huang, C., 138
Wang, C., see Shi, L., 7
Wang, L., see Qin, W., 207
Wang, L., see Zhao, X., 165
Wang, W., see Liu, X.-Y., 42
Wang, Y.-Y., see Liu, X.-Y., 42
Weech, M., see Green, N., 198
Wieczorek, J., see Goetze, O., 170
Wiest, R., see Kalus, P., 151
Woitalla, D., see Goetze, O., 170
Won, M.H., see Hwang, I.K., 117
Woodruff, P.W.R., see Hunter, M.D., 148
Wu, S.-X., see Liu, X.-Y., 42

Xie, W., see Zhao, X., 165
Xing, Q., see Qin, W., 207
Xu, J., see Zhao, X., 165
Xu, Z., Ford, B.D., Upregulation of erbB receptors in rat brain after middle cerebral arterial occlusion, 181

Yang, J., see Qin, W., 207
Yoo, K.-Y., see Hwang, I.K., 117
Yu, B., see Zhao, X., 165
Yuan, Z., see Shi, L., 7

Zahrai, M., see Raygani, A.V., 1
Zhang, L., see Jiang, H., 59
Zhao, X., Yu, B., Wang, L., Liu, J., Xie, W., Xu, J., Ovariotomy and persistent pain affect long-term Fos expression in spinal cord, 165
Zhou, L., see Liu, X.-Y., 42